



PRODUCT BROCHURE

产品宣传画册



深圳市方得实业有限公司

Shenzhen Founder Industrial Co., Ltd

Main products: desk lamp,
floor lamp, table lamp

主营：阅读灯、落地灯、台灯

🌐 www.funderled.com

📍 深圳市龙华区大浪街道创艺路46号裕华工业园B栋
Building B-Yuhua industrial park, No.46 Chuangyi Road,
Dalang Street, Longhua District, Shenzhen, China

深圳市方得实业有限公司 Shenzhen Founder Industrial Co., Ltd

深圳市方得实业有限公司成立于2014年，是一家专注于LED照明产品研发、生产、销售的高新技术企业，主营产品有LED台灯、LED落地灯、LED氛围灯、LED壁灯等。

公司目前拥有员工60余人，厂房面积4500平米，拥有先进的LED照明生产设备、检测设备及研发中心，可满足客户定制化产品设计需求；车间目前拥有4条20米生产线，可满足2000-3000pcs/天的产能需求。

目前我司所有产品均为自主研发私模产品，拥有专利保护，并通过CE、ROHS、UKCA、FCC、ERP等认证。

方得致力于为全球客户提供LED照明产品设计、生产、销售、售后一站式服务。我们始终坚持以客户为中心，以质量为本，积极创新的原则，经过多年的发展，赢得了众多客户的支持和认可。主要销售地区包括欧洲，北美，澳大利亚，日本，韩国等，所有产品广泛应用于家居照明，酒店，写字楼，涵盖室内照明和工作生活。

方得拥有完整的质量管理体系和专业的研发，生产和销售团队，随时准备为客户提供优质的产品和服务。

Shenzhen Founder Industrial Co., Ltd. was established in 2014. It is a high-tech enterprise specializing in the research and development, production and sales of LED lighting products, main products are LED table lamps, LED floor lamps, LED atmosphere lamps, LED wall lamps, etc.

The company currently has more than 60 employees and 4,500 square meters factory. It has advanced LED lighting production equipment, testing equipment and R&D center, which can meet customer needs for customized product design; the workshop currently has 4set 20-meter production lines, can meet the production capacity demand of 2,000-3,000pcs/day.

At present, all our products are self-owned private mold products with patent protection, and have passed CE, ROHS, UKCA, FCC, ERP and other certifications.

Founder is committed to providing customers from all over the world with one-stop services in LED lighting product design, production, sales and after-sales. We always adhere to the principles of customer-centricity, quality-based and active innovation, after years of development, we have won the support and recognition of many customers. The main sales areas include Europe, North America, Australia, Japan, South Korea, etc, All products are widely used in home lighting, hotels, office buildings, covering indoor lighting and work life.

Founder has a complete quality management system and professional R&D, production and sales teams, ready to provide customers with high-quality products and services at any time.

Our Team




Product Catalog




FDGL01



FDFL01



FDFL02



FDFL03



FDTL01



FDTL01-IC



DDL-003



FDDL02



FDDL03



FDDL03-IC



FDDL03-R



FDDL04



FDDL05



FDDL06



FDDL07



FDDL08



FDDL09



FDDL09-R



FDDL10-R



FDDL12



FDDL13



FDDL14



FDDL15



FDDL16



FDDL18



FDDL17-R



FDDL19



FDDL22



FDDL23





FDDL24



FDDL25-R

FDGL01


RoHS    CE FC   UK CA



PARAMETER

Model	FDGL01
Rated/Actual Power	5W/5W
CCT/Color	3000K-6500K
Input	5V=1A
Output	5V=1A
luminous flux	300lm
LED Qty	80PCS
CRI	≥80
Carton size	46*31*45cm
Color box size	44.2*10.6*4.6cm
Qty of each carton	24 pcs/ctn
Gross Weight of each piece	560g
Gross weight per carton	15KG
Control method	Touch+Remote (optional)

SIZE




CHARACTERISTIC



Unique dual light source design



No Block the Camera





With adjustable clip, PC monitor thickness is up to 50mm

APPLICATION CASES



FDFL01


RoHS    CE FC    UK CA



PARAMETER

Model	FDFL01
Rated/Actual Power	24W/21W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1380lm
LED Qty	140PCS
CRI	≥90
Carton size	57*55*34.5cm
Color box size	26.4*16.1*54.8cm
Qty of each carton	4 pcs/ctn
Gross Weight of each piece	3.4KG
Gross weight per carton	15KG
Control method	Touch+Remote


SIZE



CHARACTERISTIC



Can be used as a floor lamp or desk lamp



Flexible and versatile in design








The main and auxiliary lights can be independently controlled

APPLICATION CASES



FDFL02


RoHS    CE FC    UK CA



PARAMETER

Model	FDFL02	luminous flux	2000lm
Rated/Actual Power	36W/33W	LED Qty	168PCS
CCT/Color	1900K-6500K	CRI	≥80
Input	100-240V~,50/60Hz 0.8A	Carton size	46*30.5*49cm
Output	24V=1.5A	Color box size	44*28.5*11.7cm
Qty of each carton	4 pcs/ctn		
Gross Weight of each piece	4.2KG		
Gross weight per carton	17.72KG		
Control method	Touch+Remote		

ROTATION ANGLE



CHARACTERISTIC



The interior and exterior lights can be controlled separately



The remote control can be magnetically attached to the lamp post






Stable metal base 4.85lb

APPLICATION CASES



FDFL03

RoHS         



PARAMETER

Model	FDFL03	luminous flux	2300lm
Rated/Actual Power	36W/33W	LED Qty	168PCS
CCT/Color	1900K-6500K	CRI	≥80
Input	100-240V~,50/60Hz 0.8A	Carton size	46*30.5*49cm
Output	24V=1.5A	Color box size	44*28.5*11.7cm
Qty of each carton	4 pcs/ctn		
Gross Weight of each piece	4.19KG		
Gross weight per carton	17.7KG		
Control method	Touch+Remote		

ROTATION ANGLE




CHARACTERISTIC



The interior and exterior lights can be controlled separately



The remote control can be magnetically attached to the lamp post







Stable metal base 4.85lb

APPLICATION CASES



FDTL01

RoHS       



PARAMETER

Model	FDTL01	luminous flux	1030lm
Rated/Actual Power	12W/11W	LED Qty	140PCS
CCT/Color	1900K-6500K	CRI	≥80
Input	100-240V~,50/60Hz 0.8A	Carton size	56.8*34*60.2cm
Output	24V=0.5A	Color box size	32.5*27.5*9.4cm
Qty of each carton	12 pcs/ctn		
Gross Weight of each piece	1.13KG		
Gross weight per carton	14.7KG		
Control method	Touch+Remote		

MULTIPLE STYLES





KEY FEATURES


1. Adjustable Ring Design: Customize its shape for unique lighting effects and atmospheres.
2. 3-in-1 Functionality: Use as a desk lamp, night light, or ambient light—ideal for any space.
3. Customizable Lighting: Adjust color temperature and brightness for any activity.
4. Dual Control Modes: Remote and touch control for easy operation.
5. Smart Scene Modes: Pre-set modes like study, reading, and timer for optimized lighting.

APPLICATION CASES



FDTL01-IC

RoHS    CE FC    UK CA



PARAMETER

Model	FDTL01-IC	luminous flux	N/A
Rated/Actual Power	12W/11W	LED Qty	60PCS
CCT/Color	RGBIC	CRI	/
Input	100-240V~,50/60Hz 0.8A	Carton size	56.8*34*60.2cm
Output	12V=1.0A	Color box size	32.5*27.5*9.4cm
Qty of each carton	12 pcs/ctn		
Gross Weight of each piece	1.13KG		
Gross weight per carton	14.69KG		
Control method	APP+Touch+Remote		

MULTIPLE STYLES






KEY FEATURES

1. Adjustable Ring Design: Customize its shape for unique lighting effects and atmospheres.
2. 3-in-1 Functionality: Use as a desk lamp, night light, or ambient light-ideal for any space
3. Millions of colors.Your color, Your Rules.
4. Music function: Built in multiple music modes, colors move with the rhythm of the music
5. App Control: It can be controlled through the APP, which has rich functions

APPLICATION CASES



DDL-003


RoHS    CE FC   




PARAMETER

Model	DDL-003
Rated/Actual Power	12W/11W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=0.5A
luminous flux	800lm
LED Qty	70PCS
CRI	≥90
Carton size	49*45*41cm
Color box size	43.2*23.3*5.5cm
Qty of each carton	14pcs/ctn
Gross Weight of each piece	1.03KG
Gross weight per carton	15.6KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



No flicker, more eye protection



CRI>90, close to natural light, more eye friendly





Large irradiation range

APPLICATION CASES



FDDL02


RoHS    CE FC    UK CA



PARAMETER

Model	FDDL02
Rated/Actual Power	24W/19W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1300lm
LED Qty	84PCS
CRI	≥90
Carton size	57*46.5*48cm
Color box size	44.8*27.7*9.2cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.46KG
Gross weight per carton	15.93KG
Control method	Touch+Remote (optional)

SIZE




CHARACTERISTIC



No flicker, More eye protection




Flexible and versatile in design






Large irradiation range

APPLICATION CASES



FDDL03


RoHS    CE FC   



PARAMETER

Model	FDDL03
Rated/Actual Power	24W/21W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1380lm
LED Qty	140PCS
CRI	≥90
Carton size	51.5*46.5*40.5cm
Color box size	44.4*16.5*9.5cm
Qty of each carton	12pcs/ctn
Gross Weight of each piece	1.3KG
Gross weight per carton	16.2KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



45°Angled Design,
only illuminates your desk



Atmospheric Lighting,
relieve eye strain





Concentrate light to make the
desktop brighter

APPLICATION CASES



FDDL03-IC


RoHS       



PARAMETER

Model	FDDL03-IC
Rated/Actual Power	24W/21W
CCT/Color	3000-6500K&RGBIC
Input	100-240V~,50/60Hz 0.8A
Output	12V=2A
luminous flux	1200lm
LED Qty	81PCS
CRI	≥90
Carton size	46.5*35*50cm
Color box size	44.4*16.5*9.5cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.27KG
Gross weight per carton	13.66KG
Control method	APP+Touch+Remote (optional)

SIZE



CHARACTERISTIC



45°Angled Design,
only illuminates your desk



Atmospheric Lighting,
relieve eye strain







Concentrate light to make the
desktop brighter

APPLICATION CASES



FDDL03-R


RoHS    CE FC   



PARAMETER

Model	FDDL03-R
Rated/Actual Power	24W/21W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1300lm
LED Qty	140PCS
CRI	≥90
Carton size	47*38.5*45cm
Color box size	44.8*18.3*5.3cm
Qty of each carton	16pcs/ctn
Gross Weight of each piece	1.21KG
Gross weight per carton	20.31KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



45°Angled Design,
only illuminates your desk



Atmospheric Lighting,
relieve eye strain



Concentrate light to make the
desktop brighter

APPLICATION CASES



FDDL04


RoHS         UK
CA



PARAMETER

Model	FDDL04
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1550lm
LED Qty	154PCS
CRI	≥90
Carton size	46.5*41.5*46cm
Color box size	44.8*19.7*8.8cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.35KG
Gross weight per carton	14.5KG
Control method	Touch+Remote (optional)

SIZE




CHARACTERISTIC



Increased irradiation range



Can flexibly change angles






Easy operation

APPLICATION CASES



FDDL05


RoHS    CE FC    UK CA



PARAMETER

Model	FDDL05
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1300lm
LED Qty	98PCS
CRI	≥90
Carton size	46.5*44*59.5cm
Color box size	44.7*21*11.4cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.36KG
Gross weight per carton	15.6KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Can flexibly change angles




Honeycomb anti - glare lampshade

APPLICATION CASES



FDDL06


RoHS    CE FC   UK CA



PARAMETER

Model	FDDL06
Rated/Actual Power	12W/11W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=0.5A
luminous flux	719lm
LED Qty	70PCS
CRI	≥90
Carton size	48.5*46.5*38cm
Color box size	23.3*8.8*44.5cm
Qty of each carton	8pcs/ctn
Gross Weight of each piece	2.13KG
Gross weight per carton	18.4KG
Control method	Touch+Remote (optional)


SIZE



CHARACTERISTIC



Increased lighting range by 30%




More concentrated light





Honeycomb anti - glare lampshade

APPLICATION CASES



FDDL07


RoHS    CE FC    UK CA



PARAMETER

Model	FDDL07
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1300lm
LED Qty	98PCS
CRI	≥90
Carton size	66*49*43cm
Color box size	64.2*23.5*10.2cm
Qty of each carton	8pcs/ctn
Gross Weight of each piece	2.4KG
Gross weight per carton	20.8KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Increased lighting range by 30%



Can be flexibly adjusted





Honeycomb anti - glare lampshade

APPLICATION CASES



FDDL08


RoHS    CE FC    UK CA



PARAMETER

Model	FDDL08
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1300lm
LED Qty	98PCS
CRI	≥90
Carton size	67*31.5*51.5cm
Color box size	65*14.8*9.8cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.28KG
Gross weight per carton	14.3KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Increased lighting range by 30%



CRI>90, Close to the natural light







Honeycomb anti-glare lampshade

APPLICATION CASES



FDDL09


RoHS    CE FC    UK CA



PARAMETER

Model	FDDL09
Rated/Actual Power	24W/21W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1380lm
LED Qty	140PCS
CRI	≥90
Carton size	48.5*46.5*38cm
Color box size	44.5*23.3*8.8cm
Qty of each carton	8pcs/ctn
Gross Weight of each piece	2.22KG
Gross weight per carton	18.94KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



45°Angled Design , only illuminates your desk



Atmospheric Lighting, relieve eye strain






Optical Shadow Reduction

APPLICATION CASES



FDDL09-R



RoHS    CE FC   



PARAMETER

Model	FDDL09-R
Rated/Actual Power	24W/21W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1300lm
LED Qty	140PCS
CRI	≥90
Carton size	46.5*56.6*34.5cm
Color box size	44.5*27.3*6.4cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.83KG
Gross weight per carton	19.6KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



45°Angled Design, only illuminates your desk



Atmospheric Lighting, relieve eye strain







Optical Shadow Reduction

APPLICATION CASES



FDDL10-R



RoHS    CE FC   



PARAMETER

Model	FDDL10-R
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1340lm
LED Qty	112PCS
CRI	≥90
Carton size	46.5*45.0*21.5cm
Color box size	44.5*21.6*6.5cm
Qty of each carton	6pcs/ctn
Gross Weight of each piece	2.66KG
Gross weight per carton	17.26KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Atmospheric Lighting, relieve eye strain




CRI>90, Closer to natural light

APPLICATION CASES



FDDL12


RoHS          



PARAMETER

Model	FDDL12
Rated/Actual Power	24W/19W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1300lm
LED Qty	84PCS
CRI	≥90
Carton size	57*46.5*48cm
Color box size	44.8*27.7*9.2cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.5KG
Gross weight per carton	16.5KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Flexible and versatile in design



Increased irradiation range





CRI>90, Closer to natural light

APPLICATION CASES



FDDL13


RoHS    CE FC   



PARAMETER

Model	FDDL13
Rated/Actual Power	36W/33W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1.5A
luminous flux	2450lm
LED Qty	168PCS
CRI	≥90
Carton size	72*31*43cm
Color box size	69.8*14.5*8.2cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.5KG
Gross weight per carton	16.3KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Flexible and versatile in design



Less blue light, no flicker,
more eye friendly






CRI>90, Closer to natural light

APPLICATION CASES



FDDL14


RoHS    CE FC    UK CA



PARAMETER

Model	FDDL14
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1550lm
LED Qty	154PCS
CRI	≥90
Carton size	46.5*42.5*43.6cm
Color box size	44.6*20.3*10.4cm
Qty of each carton	8pcs/ctn
Gross Weight of each piece	2.42KG
Gross weight per carton	20.66KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Flexible and versatile in design



Less blue light, no flicker,
more eye friendly





CRI>90, Closer to natural light

APPLICATION CASES



FDDL15


RoHS    CE FC    UK CA



PARAMETER

Model	FDDL15
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1400lm
LED Qty	98PCS
CRI	≥90
Carton size	46.5*44*59.5cm
Color box size	44.7*21.1*11.4cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.36KG
Gross weight per carton	15.6KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Can flexibly change angles







Honeycomb anti - glare lampshade

APPLICATION CASES



FDDL16


RoHS    CE FC    UK CA



PARAMETER

Model	FDDL16
Rated/Actual Power	12W/11W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.4A
Output	24V=0.5A
luminous flux	720lm
LED Qty	70PCS
CRI	≥90
Carton size	46.0*37.5*39.1cm
Color box size	43.9*17.8*5.3cm
Qty of each carton	14pcs/ctn
Gross Weight of each piece	1.3KG
Gross weight per carton	18.98KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Atmospheric Lighting,
relieve eye strain







CRI>90, Closer to natural light

APPLICATION CASES



FDDL17-R


RoHS    CE FC   



PARAMETER

Model	FDDL17-R
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1340lm
LED Qty	112PCS
CRI	≥90
Carton size	47.0*38.5*45.0cm
Color box size	44.8*18.3*5.3cm
Qty of each carton	16pcs/ctn
Gross Weight of each piece	1.33KG
Gross weight per carton	22.34KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Atmospheric Lighting,
relieve eye strain




CRI>90, Closer to natural light

APPLICATION CASES



FDDL18


RoHS    CE FC    UK CA



PARAMETER

Model	FDDL18
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1650lm
LED Qty	126PCS
CRI	≥90
Carton size	46.5*41.5*46cm
Color box size	44.8*19.7*8.8cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.38KG
Gross weight per carton	15KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Unique five light bar design



Atmospheric Lighting,
relieve eye strain




CRI>90, Closer to natural light

APPLICATION CASES



FDDL19



RoHS    CE FC    UK CA



PARAMETER

Model	FDDL19
Rated/Actual Power	36W/33W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1.5A
luminous flux	2450lm
LED Qty	168PCS
CRI	≥90
Carton size	72*37*42cm
Color box size	69.6*17.5*9.9cm
Qty of each carton	8pcs/ctn
Gross Weight of each piece	2.66KG
Gross weight per carton	22.5KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Atmospheric Lighting,
relieve eye strain




CRI>90, Closer to natural light

APPLICATION CASES



FDDL22



RoHS    CE FC    UK CA



PARAMETER

Model	FDDL22
Rated/Actual Power	12W/11W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=0.5A
luminous flux	560lm
LED Qty	98PCS
CRI	≥90
Carton size	46.5*41*41cm
Color box size	44.5*19.4*6.4cm
Qty of each carton	12pcs/ctn
Gross Weight of each piece	1.02KG
Gross weight per carton	13.34KG
Control method	Touch

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Atmospheric Lighting,
relieve eye strain




CRI>90, Closer to natural light

APPLICATION CASES



FDDL23



RoHS    CE FC    UK CA



PARAMETER

Model	FDDL23
Rated/Actual Power	24W/19W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	960lm
LED Qty	140PCS
CRI	≥90
Carton size	62.5*41*41cm
Color box size	60.5*19.4*6.4cm
Qty of each carton	12pcs/ctn
Gross Weight of each piece	1.2KG
Gross weight per carton	15.55KG
Control method	Touch

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Atmospheric Lighting,
relieve eye strain




CRI>90, Closer to natural light

APPLICATION CASES



FDDL24



RoHS    CE FC    UK CA



PARAMETER

Model	FDDL24
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1180lm
LED Qty	196PCS
CRI	≥90
Carton size	83.5*29.5*31.5cm
Color box size	81.6*13.7*5.8cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.26KG
Gross weight per carton	13.48KG
Control method	Touch

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Atmospheric Lighting,
relieve eye strain








CRI>90, Closer to natural light

APPLICATION CASES



FDDL25-R


RoHS    CE FC   



PARAMETER

Model	FDDL25-R
Rated/Actual Power	24W/22W
CCT/Color	3000K-6500K
Input	100-240V~,50/60Hz 0.8A
Output	24V=1A
luminous flux	1420lm
LED Qty	112PCS
CRI	≥90
Carton size	46.5*33.2*65.0cm
Color box size	44.5*31.2*6.3cm
Qty of each carton	10pcs/ctn
Gross Weight of each piece	1.72KG
Gross weight per carton	18.34KG
Control method	Touch+Remote (optional)

SIZE



CHARACTERISTIC



Super Bright LED Desk Lamp



Atmospheric Lighting,
relieve eye strain



CRI>90, Closer to natural light

APPLICATION CASES

